

## Basic Equipment Stocklines – Catalogue codes and specifications

**Please read the instructions below carefully to avoid problems with equipment provision.**

This is a basic catalogue stock list for reference when completing a GIS Healthcare Issue Request form. It has been edited for Out of County orders to enable simple hospital discharges and is therefore not a comprehensive stock list.

If you cannot find the basic equipment listed on the attached GIS stock list, or need more information about the products, please call the GIS Admin Team on 01452 520438, who will try to put you in contact with a clinician for advice.

This equipment is intended for simple discharges only and is not appropriate for complex discharges e.g. involving bed, mattress, hoist, sling provision. Please refer urgently to the Gloucestershire County Council Helpdesk (01452 426868) for the case to be allocated to an in-county assessor.

As a standard all equipment will be delivered the next working day, for this to happen orders must be placed before 1530 Monday-Friday. There will be limited access for Same Day deliveries in exceptional cases. Only the items on the Vital Equipment List (attached at end) may be ordered as Same Day delivery where the situation is urgent such as 'End of Life Care'. Staff are encouraged to plan hospital discharges and utilise satellite stores for "Same Day" deliveries wherever possible.

### **It is not appropriate for you to use this Out of County process if:**

- You are requesting minor adaptations involving floor-fixed and wall-fixed equipment e.g. grab rails, please do not use the GIS Issue form. Simple grab rails including stair rails can be requested via the 'Fast Track' system by calling the number below.
- The Service User requires further assessment or review in Gloucestershire, and you need to make a referral for the case to be allocated.
- You are uncertain about suitability of the home environment because the person cannot give an accurate description and a referral is required for the case to be allocated.
- For furniture raising, we strongly advise that you refer for a 'Fast Track' technician to visit using the number below, unless you are certain of the furniture description. For further information see Raisers section below.

**For all of the above, please contact Gloucestershire County Council Helpdesk (01452 426868) to refer for allocation or to request a 'Fast Track' technician.**

## Fitting Information

Driver Fitters are not Technicians or Assessors. They will fit the equipment according to instructions and check it is safe. They will not assess or give clinical advice. It is essential that fitting instructions are clear and specific e.g. height adjustments/ upstairs/ downstairs/ obstructions. If instructions are unclear, the driver may not be able to fit. Equipment will be set at the lowest height unless specified.

Driver Fitters cannot choose which equipment is suitable, and do not carry alternatives. If fitting is unsuccessful, they will try to call, so please give a mobile or full direct line number.

Please be aware that Drivers are not expected to fit equipment in a hazardous environment (physical/ social). Please make GIS aware of any hazards and make advance arrangements as necessary. Drivers are able to move smaller items within reason, but will have the right to refuse if they consider themselves to be at risk.

## Principles to Equipment provision

Eligibility determination is no longer based on level of risk, but on the individual's inability to achieve desired outcomes. However, the level of risk should be considered in relation to understanding individual needs and their impact on wellbeing. Assessors should shift their thinking from being providers of all equipment, to becoming enablers for Service users to access equipment themselves.

Any issues or disputes arising regarding equipment provision/non-provision should be raised in the first instance with the Authorised Officer by contacting [ices@glos-care.nhs.uk](mailto:ices@glos-care.nhs.uk)

Provision of the community equipment service is based on assessed need and focuses on facilitating independence and reducing disability to support Gloucestershire residents (this is defined as a service user that is registered with a Gloucestershire GP and is the commissioning responsibility of Gloucestershire Clinical Commissioning Group) in their own home.

Place of Residence - The individual's home can be defined as:

- The persons own or rented main abode,
- A residential or nursing establishment if it is the service user's permanent residence and the equipment is for the individuals sole use.
- For children and young people, this may include a resident with other carers \*see below

### General Considerations

- Equipment **cannot be shared**. ICES only provide equipment for individual's personal use.

**GLOUCESTERSHIRE INTEGRATED COMMUNITY EQUIPMENT SERVICES**  
**Out of County Discharge Community Equipment**

- The individual must be “ordinarily resident” within the agreed service provision boundaries
- The **most cost effective solution** will be ordered based on assessment of needs
- Community Equipment Service **will not** normally fund the provision of equipment/ minor works for adults to a **secondary residence**
- Where equipment has been loaned to an individual in their home and they are transferring to a residential care home, no items should go with the individual except those that will promote their personal independence or to meet their medical needs.
- ICES **do not** fund equipment for **respite care / holidays**.
- ICES **do not** provide “loan equipment” that covers what would be considered **domestic furniture** e.g. divan beds/arm chairs.
- The individual for whom the equipment is being considered must be eligible for the provision of services in accordance with legislation and local policies and procedures pertinent to that organisation.
- The equipment must be required to meet the needs of the individual and/or carer, and be essential, appropriate, practicable and feasible and minimise their risk.
- Equipment for children will be considered when a child has additional functional/practical needs due to their disability, long term or rehabilitation need.

Consideration of the role of the carer will be given equal importance in that:

- The provision will assist the individual’s potential for independence.
- The provision will enhance the quality of care given to the individual.
- The provision will assist in alleviating the physical demands experienced by the carer, and
- The provision may assist the carer to continue to provide care.

The assessor and the service provider have a duty to act with care and consideration. If any doubt exists about equipment provision, it is expected that further advice will be sought from a supervisor or the manufacturer.

Ethnic and cultural aspects of the household should be taken into consideration.

Evidence of the assessors clinical/professional reasoning shall be sought before purchasing specialist non-stock pieces of equipment.

Care/Nursing Homes as part of its statement of purpose / registration should provide equipment to meet their residents needs and should be funded/provided by the care home. Further information can be found within the CEquip document library about equipment into Nursing homes.

**GLOUCESTERSHIRE INTEGRATED COMMUNITY EQUIPMENT SERVICES**  
**Out of County Discharge Community Equipment**

During adult respite placements, it is anticipated that the care home will have the appropriate facilities to support the service user. On occasions, it may be practical for service users or their carers to transfer equipment from the service user's permanent residence to the respite placement if an appropriate risk assessment has been completed and this is deemed safe and practical (please refer to Carrying Equipment in Cars Guidance). The assessor would be required to take into account individual circumstances in making a decision as to whether the Care Home is accepting residents over and above its statement of purpose & as to whether to support with providing additional equipment to support. Any additional equipment would not normally be funded by the Community Equipment Service.

ICES can support with specialist equipment for service users who have been discharged into a "Non-weight bearing" placement and assessors should refer to the equipment into care homes guidance for clarification of what would be considered specialist.

## **Guidance for the supply of NHS Health equipment (in addition to provision under general considerations)**

The following patients will be provided with equipment where the equipment is **ESSENTIAL**:

1. To manage/support health needs for a long term health condition
2. To support rehabilitation needs (this may include equipment to support activities of daily living where this is part of the rehabilitation programme i.e. short term only)
3. Palliative care patients with an anticipated life expectancy of less than 12 weeks can be supplied with equipment to support their care (equivalent to Continuing Health Care Fast Track criteria).
4. To remain safe in an acute episode of care including meeting pressure care needs

Assessors need to ensure that the client is aware of the terms of any loan equipment and how to return loaned equipment when it is no longer required. This information is on the Service User Leaflet, available here <http://www.glosequip.co.uk/images/ICES%20Service%20User%20Leaflet%20Oct%202014.pdf>. Assessors may wish to print a copy of this leaflet to give to service users.

If using a printed version this guidance is current as at 10/5/2017.

For the most up to date version of this guidance please go to <http://www.glosequip.co.uk/index.php/our-services>

**GLOUCESTERSHIRE INTEGRATED COMMUNITY EQUIPMENT SERVICES**  
**Out of County Discharge Community Equipment**

Equipment (Catalogue code & description)	Safe Working Load	Height adjustable options
<b>TOILETING</b>		
<b>TZR380Z</b> RAISED TOILET SEAT UNIFIX 3-4"	31 Stone	Specify whether 3" (fitted on toilet pan) or 4" (fitted on top of seat) is required
<b>TZR365Z</b> 2" RAISED TOILET SEAT TAUNTON	24 Stone	N/A
<b>TZR370Z</b> 4" RAISED TOILET SEAT TAUNTON	24 Stone	N/A
<b>TZR374Z</b> 6" RAISED TOILET SEAT TAUNTON	24 Stone	N/A
<b>TZR371Z</b> TOILET SEAT RAISED 4" NOUVELLE	30 Stone	N/A
<b>GKK780F</b> TOILET FRAME ADJUSTABLE	18 stone	Please specify one of the following heights from floor to top of armrest at front: (26", 26¾", 27½", 28¼", 29", 29¾") (66, 68, 70, 72, 74, 76 cm) (Lowest Base Hole 1, Hole 2, Hole 3, Hole 4, Hole 5, Hole 6).
<b>TZR375Z</b> TOILET SEAT AND FRAME 'MOWBRAY'	30 Stone	Please specify one of the following heights from floor to highest point at front of moulded seat: (19", 20", 21", 22", 23", 24", 25") (48, 50.5, 53, 55.5, 58, 60.5, 63 cm) (Lowest Base Hole 1, Hole 2, Hole 3, Hole 4, Hole 5, Hole 6, Hole 7). Default is to fit safely over the toilet with legs on the floor. Therefore the lowest height may not always be feasible, depending on height of toilet.
<b>TZS214Z</b> COMMUNE ADJUSTABLE HEIGHT	20 Stone	There is approx 1 cm height variation between models, so heights given are approximate. Please specify from floor to top of black toilet seat with seat cover removed: (19", 20", 21", 22", 23") (48, 50.5, 53, 55.5, 58 cm), (Lowest Base Hole 1, Hole 2, Hole 3, Hole 4, Hole 5). Default is lowest height.
<b>TZR204Z</b> COMMUNE WITH REMOVEABLE ARMS	20 Stone	Please specify from floor to top of black toilet seat with seat cover removed: (17½", 18½", 19½", 20½", 21½", 22½", 23½") (47, 49.5, 52, 54.5, 57, 59.5 cm), (Lowest Base Hole 1, Hole 2, Hole 3, Hole 4, Hole 5, Hole 6, Hole 7). Default is lowest height.
<b>TSF250Z</b> MAYFAIR COMMUNE WITH BRAKES	18 Stone	Seat Height: 19inWidth: 20.5inRemovable arms
<b>TSF248Z</b> MAYFAIR COMMUNE FOOTPLATES(PAIR)		
<b>EFW184</b> EXTRA WIDE MOWBRAY TOILET SEAT AND FRAME	40 Stone	Please specify one of the following heights from floor to top of seat (near front leg): (19", 20", 21", 22", 23", 24", 25") (48, 50.5, 53, 55.5, 58, 60.5, 63 cm) (Lowest Base Hole 1, Hole 2, Hole 3, Hole 4, Hole 5, Hole 6, Hole 7). Default is to fit safely over the toilet with legs on the floor. Therefore the lowest height may not always be feasible, depending on height of toilet.
<b>GKK880Z</b> MOWBRAY WIDTH ADJ TOILET FRAME & SEAT	30 Stone	Please specify one of the following heights from floor to top of seat (near front leg): (19", 20", 21", 22", 23", 24", 25") (48, 50.5, 53, 55.5, 58, 60.5, 63 cm) (Lowest Base Hole 1, Hole 2, Hole 3, Hole 4, Hole 5, Hole 6, Hole 7). Default is to fit safely over the toilet with legs on the floor. Therefore the lowest height may not always be feasible, depending on height of toilet.

**GLOUCESTERSHIRE INTEGRATED COMMUNITY EQUIPMENT SERVICES**  
**Out of County Discharge Community Equipment**

<b>BATHING</b>	<b>Safe Working Load</b>	<b>Height adjustable options</b>
<b>TZR112Z</b> BATH BOARD 27"	31 stone	<b>N/A</b>
<b>TZR125Z</b> BATH SEAT - 6"	30 Stone	<b>N/A</b>
<b>TZR127Z</b> BATH SEAT - 8"	31 Stone	<b>N/A</b>
<b>TZR128Z</b> BATH SEAT - 12"	25 Stone	<b>N/A</b>
<b>TRU350Z</b> SHOWER CHAIR WITH ADJ LEGS	22 Stone	Please specify one of the following heights from floor to top of seat (near front leg): (16", 17", 18", 19", 20", 21", 22") (40.5, 43, 45.5, 48, 51, 53, 56 cm) (Lowest Base Hole 1, Hole 2, Hole 3, Hole 4, Hole 5, Hole 6, Hole 7). Default is lowest setting.
<b>TRU340Z</b> SHOWER BENCH ADJUSTABLE HEIGHT WHITE PVC	20 Stone	Please specify one of the following heights from floor to top of seat (near front leg): (18 <sup>1</sup> / <sub>4</sub> ", 19 <sup>1</sup> / <sub>4</sub> ", 20 <sup>1</sup> / <sub>4</sub> ", 21 <sup>1</sup> / <sub>4</sub> ", 22 <sup>1</sup> / <sub>4</sub> ", 23 <sup>1</sup> / <sub>4</sub> ") <sup>1</sup> / <sub>4</sub> (46.5, 49, 51.5, 54, 56.5, 59 cm) (Lowest Base Hole 1, Hole 2, Hole 3, Hole 4, Hole 5, Hole 6). Default is lowest setting.
<b>TZR100Z</b> SWIVEL BATHER (28")	16 Stone	<b>N/A</b>
<b>TZR115Z</b> SHOWER BOARD WITH HANDLE 26"	30 Stone	<b>N/A</b>
<b>TZR116Z</b> SHOWER BOARD WITH HANDLE 27"	30 Stone	<b>N/A</b>

**GLOUCESTERSHIRE INTEGRATED COMMUNITY EQUIPMENT SERVICES**  
**Out of County Discharge Community Equipment**

<b>FURNITURE RAISERS</b>	<b>NB:</b> If you are not able to gain a clear description of the type of furniture legs, or are not familiar with the Langham range of raisers below, please refer to the County Council Helpdesk 01452 426868, to request that a fast track 'Safe at Home' technician visits to select and fit Morris and Alexander Raisers. You must be able to give the height required in order to make this referral.	
<b>GKC100Z</b> GRIP ON RAISING UNITS - LANGHAM - Castors/ legs diameter: Max: 3.2 cm, 1¼", Min: 2½ cm, 1"	78 Stone - includes weight of furniture & person	Please specify the height of raise required. Remove 2 sections = 1", 2.5 cm. Remove 1 section = 2", 5 cm. Remove no sections = 3", 7.5 cm. Supplied as a set of 4.  <i>N.B. Max leg diameter may slightly increase depending on shape of leg e.g. Larger round leg may fit where a square leg does not fit.</i>
<b>GKC300Z</b> GRIP ON RAISING UNITS – LANGHAM – Castors/ legs diameter: Max: 5.8 cm, 2¼", Min: 4½ cm, 1¾"		
<b>GKC200Z</b> GRIP ON RAISING UNITS 2" – LANGHAM - Castors/ legs diameter: Max: 4½ cm, 1¾", Min: 3.2 cm, 1¼"		
<b>GKC264Z</b> MULTI PURPOSE RAISER – LANGHAM	As above	No clip-ons = 7.5cm, 3". 1 clip-on = 9.5 cm, 3¾". 2 clip-ons = 11.5 cm, 4½". 3 clip-ons = 13.5 cm, 5¼", 4 clip-ons = 15.5 cm, 6". 1 Unit fits 2 castors. <u>Chairs &amp; Small 2 seater Settee with 4 castors:</u> 2 Units linked together with a spreader bar. <u>2 Seater settees with 6 castors &amp; All Large 3 seater settees:</u> 3 Units running front to back. <u>Single beds:</u> With 4 castors - 2 Units With 6 castors - 3 Units running widthways. <u>All double beds:</u> 3 Units running widthways.
<b>GKC265Z</b> BED RAISING UNIT - LANGHAM	As above	Adjustable width: 91.4 - 146 cm, 36" - 57½" Max leg diameter: 7 cm, 2¾" square No blocks = 2½", 6.3 cm raise , 1 block = 3½", 8.8 cm raise, 2 blocks = 4½", 11.3 cm raise <i>2 blocks may increase risk of legs dislodging, especially if legs are thin or user sits down unevenly / heavily or tilts the chair.</i>
<b>GKC267Z</b> CHAIR RAISING UNIT - LANGHAM	As above	Adjustable: 78.5 x 68.5 cm, 31" x 27" max Max leg size is dependent on dimensions of chair and no. of blocks used. Approx max 5 cm, 2" square leg. No Blocks = 5 cm, 2" raise , 1 Block = 7.5 cm, 3" raise, 2 Blocks = 10 cm, 4" raise <i>2 blocks may increase risk of legs dislodging, especially if legs are thin or user sits down unevenly / heavily or tilts the chair.</i>

**GLOUCESTERSHIRE INTEGRATED COMMUNITY EQUIPMENT SERVICES**  
**Out of County Discharge Community Equipment**

<b>BED ACCESSORIES</b>	<b>Safe working load</b>	<b>Height adjustable options</b>
<b>TLE777</b> EASYLEAVER BED GRAB RAIL (WITHOUT STRAPS)	25 Stone	Default position is approx 43 cm/ 17 from head of bed. Please specify which side of the bed for fitting. The Easyleaver is issued WITHOUT straps, which can be ordered separately as below.
<b>TLE778</b> EASYLEAVER STRAPS FOR <b>TLE777</b>	25 Stone	<b>N/A</b>
<b>TLE889</b> EASYRAIL BED GRAB RAIL (FOR SLATTED BED FRAMES)	Standard 20 Stone	<b>N/A</b>
<b>TLE1077</b> BED STICK	20 Stone	This item can be fitted to <u>divan beds</u> (For profiling GIS beds see Support Handles). Please specify whether driver should fit with one handle down and on which side, or with both handles up. Please check width of bed to ensure it will fit securely without a gap at the side of the bed. The bed width options are: (Narrowest Base Hole 1, Hole 2, Hole 3, Hole 4, Widest Hole 5), (38½", 44", 50½", 56½", 63"), (93, 112, 128.5, 143.5, 160 cm). If the bed is a non-standard width and the bed stick will not fit securely, the alternative is Easyleaver Bed Grab Rail TLE777 with or without straps. Default position is approx 43 cm/ 17" from head of bed. If you do not want this item to be fitted, please note clearly.
<b>GZW290Z</b> BACKREST DECK CHAIR TYPE METAL FRAME	18 Stone	This item can be fitted by GIS, although the user or Carer will need to ensure that bedding/ pillows are suitably rearranged and the user is comfortable. Please specify the angle at which it should be left from the following options: (Lowest notch 1, notch 2, notch 3, notch 4, notch 5), (30 degrees, 45 degrees, 60 degrees, 75 degrees, 90 degrees). If you do not want this item to be fitted, please note clearly.



**GLOUCESTERSHIRE INTEGRATED COMMUNITY EQUIPMENT SERVICES**  
**Out of County Discharge Community Equipment**

<b>HOUSEHOLD</b>	<b>Safe Working Load</b>	<b>Height adjustable options</b>
<b>THU200Z</b> TROLLEY 'ETWALL' STYLE METAL FRAME WITH 3" CASTORS	31 Stone	Please specify one of the following heights from floor to top of handles: (33", 34", 35", 36", 37", 38", 39") (84, 86.5, 89, 91.5, 94, 96.5, 99 cm) (Lowest Base Hole 1, Hole 2, Hole 3, Hole 4, Hole 5, Hole 6, Hole 7). Default is lowest setting.
<b>THU300Z</b> TROLLEY WITH BRAKES	19 Stone	Please specify one of the following heights from floor to top of handles: (30", 31", 32", 33", 34", 35", 36") (76, 79, 81, 84, 86.5, 89, 91.5 cm) (Lowest Base Hole 1, Hole 2, Hole 3, Hole 4, Hole 5, Hole 6, Hole 7). Default is lowest setting.
<b>TJH760Z</b> TABLE CANTILEVER ADJ HEIGHT.	25 Stone	Specify height from floor to top of table. Adjustable height 540mm to 690mm. Default is lowest setting.
<b>TSF103Z</b> PERCHING STOOL (SHORT) 16" + ARMS.	25 Stone	Please specify one of the following heights from floor to top of seat at flat part near to legs (not including pommel): (15", 16", 17", 18", 19", 20", 21") (38, 40.5, 43, 45.5, 48, 50.5, 53 cm) (Lowest Base Hole 1, Hole 2, Hole 3, Hole 4, Hole 5, Hole 6, Hole 7). Default is lowest setting. There are slight variations in older models.
<b>TSF110Z</b> PERCHING STOOL WITH ARMS AND BACKREST ADJ HEIGHT	25 Stone	Please specify one of the following heights from floor to top of seat at flat part near to legs (not including pommel): (21", 22", 23", 24", 25", 26", 27") (53, 55.5, 58, 60.5, 63, 65.5, 68 cm) (Lowest Base Hole 1, Hole 2, Hole 3, Hole 4, Hole 5, Hole 6, Hole 7). Default is lowest setting. There are slight variations in older models.
<b>TSF105Z</b> PERCHING STOOL WITH ARMS ADJ HEIGHT	25 Stone	
<b>GZT555Z</b> FRAME CADDY	N/A	
VQC890 FOAM WEDGE 20" X 20" X 4"	N/A	For short term use on armchairs, wedge is triangular; default is for lowest part to be at front of chair. Please give clear instructions.
VQC880 FOAM WEDGE 17" X 17" X 3"		
VQC900 FOAM WEDGE 17" X 17" X 4"		

**GLOUCESTERSHIRE INTEGRATED COMMUNITY EQUIPMENT SERVICES**  
**Out of County Discharge Community Equipment**

WALKING	Safe working Load	Height adjustable options
<b>GZT108Z</b> WALKING FRAME WITH WHEELS LARGE ADJ 35" - 38"	25 Stone	<b>Please specify height from floor to top of handle.</b>
<b>GZT102Z</b> WALKING FRAME WITH WHEELS MEDIUM ADJ 32" - 35"		
<b>GZT096Z</b> WALKING FRAME WITH WHEELS SMALL ADJ 29" - 32"	16 Stone	<b>Please specify height from floor to top of handle.</b>
<b>GTF105Z</b> WALKING FRAME STANDARD LARGE ADJ 33" - 36"	25 Stone	
<b>GTF100Z</b> WALKING FRAME STANDARD MEDIUM – 29" - 32"		
<b>GZT095Z</b> WALKING FRAME STANDARD SMALL ADJ 25" - 28"		
<b>SLM300Z</b> WALKING FRAME SLIM WITH WHEELS LARGE		
<b>SLM200Z</b> WALKING FRAME SLIM WITH WHEELS MEDIUM		
<b>SLM100Z</b> WALKING FRAME SLIM WITH WHEELS SMALL		
<b>GTF160Z</b> WALKING FRAME SLIMLINE LARGE ADJ 34" - 37		
<b>GZT155Z</b> WALKING FRAME SLIMLINE MEDIUM ADJ 31" - 34"		
<b>GZT150E</b> WALKING FRAME SLIMLINE SMALL		
<b>GTF247X</b> WALKING STICK EX LONG ANATOMICAL ADJ LEFT	20 Stone	

**GLOUCESTERSHIRE INTEGRATED COMMUNITY EQUIPMENT SERVICES**  
**Out of County Discharge Community Equipment**

<b>GTF246U</b> WALKING STICK EX LONG ANATOMICAL ADJ RIGHT	20 Stone	<b>Please specify height from floor to top of handle</b>
<b>GTF321Z</b> WALKING STICK MEDIUM ANATOMICAL HANDLE ADJ-LEFT	19.5 Stone	
<b>GTF320Z</b> WALKING STICK MEDIUM ANATOMICAL HANDLE ADJ-RIGHT	19 Stone	
<b>GTB153Z</b> CRUTCHES ELBOW (EX-LARGE) ADJ	25 Stone	
<b>GTB103Z</b> CRUTCHES ELBOW LARGE (ERGONOMIC PAIR)	25 Stone	Please specify height from floor to top of handle.
<b>GTB108Z</b> CRUTCHES ELBOW MED (ERGONOMIC PAIR)		
<b>GTB150Z</b> CRUTCHES ELBOW METAL SINGLE ADJ MEDIUM		
<b>GTB220Z</b> CRUTCHES GUTTER		
<b>GTB156Z</b> ELBOW CRUTCH (SMALL)	15 Stone	Please specify height from floor to top of handle.
<b>GTF240Z</b> WALKING STICK ADJUSTABLE		
<b>GTD400D</b> QUADRUPED W/STICK		
<b>GZT381Z</b> TRI-WHEEL WALKER WITH BRAKES		
<b>GZT385Z</b> SAFETY WALKER LIGHTWEIGHT		
<b>GZT092Z</b> WALKING FRAME (INFANT) 22"- 25"	16 Stone	Please specify height from floor to top of handle.

**GLOUCESTERSHIRE INTEGRATED COMMUNITY EQUIPMENT SERVICES**  
**Out of County Discharge Community Equipment**

**Low Need Wheelchair Users**

As of 01/04/2016 the process for issuing wheelchairs in Gloucestershire has changed. Both short term and long term wheelchairs are now available from GIS if the client meets the following Criteria for assessment as per NHS England definitions of Low Need:

	<b>Assessed by</b>	<b>Description/Eligibility</b>	<b>Normal Equipment Requirements</b>
<b>Low Need:</b>	Accredited assessor	<ul style="list-style-type: none"> <li>- Occasional users (&gt;3 times per week)</li> <li>- Does not have postural or special seating needs</li> <li>- Physical condition is stable and not expected to change significantly</li> <li>- Assessment does not require specialist staff</li> <li>- Limited (or no) requirement for continued review/follow up</li> </ul>	<ul style="list-style-type: none"> <li>- Basic non-modular wheelchair (attendant or self-propelled)</li> <li>- Standard foam cushion</li> <li>- Up to one standard stockline accessory/modification</li> </ul>

**Short term Loan (<6 months) – please use budget code ST-WCHR**

Available to people who have a temporary limited mobility need and require a wheelchair for full time or occasional use (approximately 3 times a week in/outdoors) and meet one of the following criteria:

1. temporary limited mobility & need the wheelchair for 6 months or less and are therefore not eligible for provision long term
2. are being discharged from hospital after being an in-patient and require a wheelchair whilst waiting for medium need/high need assessment by Gloucestershire Wheelchair Service. A referral should be made as soon as possible to Gloucestershire Wheelchair Service (tel: 01252 713900)
3. children with disabilities having temporary splinting/plaster therapy

Wheelchairs will be delivered next working day (as per all other GIS orders).

**Long Term Loan (>6 months) – please use budget code LT-WCHR**

If your client requires a **low need wheelchair long term** please use the process above. Your client will require a re-assessment of their wheelchair needs after 6 months. You must therefore make a referral to the relevant community team about the client to ensure that this takes place.

If your client has medium needs or high needs they will require referral to Gloucestershire Wheelchair Service (tel: 01242 713900)

**GLOUCESTERSHIRE INTEGRATED COMMUNITY EQUIPMENT SERVICES**  
**Out of County Discharge Community Equipment**

All Low Need Wheelchairs are provided as standard with a basic foam cushion, and it is anticipated that most users will not be spending long periods of time sitting in the chair. However a clinical assessment of pressure care needs should be considered and advice/ joint working sought as appropriate. If a specialist cushion is required, please refer to the GIS catalogue.

The British Red Cross (BRC) Tel: 01242 679273 can be contacted for other wheelchair requirements such as:

- Relatives/friends visiting Gloucestershire.
- People recovering from accidents/trauma after treatment at A&E
- Infrequent use only

Shopmobility outlets can also be asked for occasional wheelchair loans in city centre locations. Gloucester 01452 302871 or Cheltenham 01242 255333.

**SAFETY CHECKS:** It is essential that the footplates height and angle are adjusted to the user. Please advise on your referral the height at which the footplates should be set i.e. either the height of the footplate from the floor or the distance from the seat to the top of the footplate.

**GLOUCESTERSHIRE INTEGRATED COMMUNITY EQUIPMENT SERVICES**  
**Out of County Discharge Community Equipment**

WLB077	Anti-tippers(pair) fits Transit Duo Wheelchair	N/A	
WLB078	Anti-tippers(pair)fits Self Propel Duo Wheelchair	N/A	
WLB077	Anti-tippers (pair)fits Attendant Propelled Duo Wheelchair	N/A	
WLB207	Wheelchair Transit 16"W x 16"D	17 Stone (110Kg) If you require a wheelchair with a higher SWL please state so on your order as other options may be available	
WLB107	Wheelchair Self Propel 16"W x 16"D	17 Stone (110Kg) If you require a wheelchair with a higher SWL please state so on your order as other options may be available	
WLB200Z	Wheelchair Transit 17"W x 17"D	19.5 Stone (125Kg)	
WLB100Z	Wheelchair Self Propel 17"W x 17"D	19.5 Stone (125Kg)	
WLB002	Wheelchair Transit 18"W x 17"D	19.5 Stone (127Kg)	
WLB001	Wheelchair Self Propel 18"W x 17"D	19.5 Stone (127Kg)	
WLB098Z	Wheelchair Self Propel 20"W x 18"D	25 Stone (159Kg)	
WLB220	ELEVATED LEG REST (RIGHT)	N/A	
WLB225	ELEVATED LEG REST (LEFT)	N/A	
WLB230	STUMP BOARD (W/CHAIR)	N/A	
WCC100	CUSHION WHEELCHAIR 16inX16in(MERCURY QM200)	Medium/ High risk- The weight guide is 17-18 stone. However the manufacturer states that it is suitable for up to 25 stone depending on individual risk assessment. Weight guides are given as a general indication of an ideal user weight to give optimum durability, comfort and performance. It is not a definitive or maximum value. It has been tested to 23 stone without failure. No minimum weight limit.	
WCC200	CUSHION WHEELCHAIR 17inX17in (MERCURY QM200)		
WCC300	CUSHION WHEELCHAIR 20inX18in (MERCURY QM200)		

**GLOUCESTERSHIRE INTEGRATED COMMUNITY EQUIPMENT SERVICES**  
**Out of County Discharge Community Equipment**

**Vital Equipment List – Same Day Deliveries** (LIMITED to end of life hospital discharges)

*(Equipment for Hospital discharge should be planned and therefore not be required as a same day request except in exceptional circumstances such as end of life care.)*

There will be limited access for Same Day deliveries in exceptional cases. Only the items on the following Vital Equipment List may be ordered as Same Day delivery where the situation is urgent such as 'End of Life Care'. Staff are encouraged to plan hospital discharges and utilise satellite stores for "Same Day" deliveries wherever possible.

A phone call to GIS Transport team Mon-Fri will be required to confirm receipt and feasibility of a "**Limited Same Day**" delivery request. GIS will only process Same Day delivery requests when the order includes items from the following Vital Equipment List. Additional items of community equipment required by the service user may be ordered at the same time as the Same Day Delivery. The order needs to be with GIS before 3.30pm Monday – Friday.

- Toileting (raised toilet seats, slipper pans and urinals should be kept as stock within satellite stores)
  - Mayfair Wheeled Commode
- Mobility
  - Non wheeled walking frame